


FLEXIBLE PVC CABLES WITH SHIELDED

NYSLYCY-O-J 300 / 500 V , 450 / 750 V



Size	No. strand x diameter	Insulation thickness	Distance thickness / e1	Sheath thickness / e2 - e3	Approx. Overall diameter	Approx. weight
mm ²	N x d mm	mm	mm	mm	mm	Kg/km
3x0.75	24x0.2	0.6	-	1.5 - 0.9	10.2x4.2	82
4x0.75	24x0.2	0.6	-	1.5 - 0.9	13.4x4.2	110
5x0.75	24x0.2	0.6	1	1.5 - 0.9	17x4.2	135
6x0.75	24x0.2	0.6	1	1.5 - 0.9	18.2x4.2	152
9x0.75	24x0.2	0.6	1	1.5 - 0.9	26.4x4.2	220
12x0.75	24x0.2	0.6	1	1.5 - 0.9	33.6x4.2	280
16x0.75	24x0.2	0.6	1	1.5 - 0.9	44.2x4.2	370
18x0.75	24x0.2	0.6	1	1.5 - 0.9	49x4.2	410
20x0.75	24x0.2	0.6	1	1.5 - 0.9	55x4.2	450
24x0.75	24x0.2	0.6	1	1.5 - 0.9	65.2x4.2	540
3x1	32x0.2	0.6	-	1.5 - 0.9	10.5x4.3	92
4x1	32x0.2	0.6	-	1.5 - 0.9	14x4.3	123
5x1	32x0.2	0.6	1	1.5 - 0.9	17.5x4.3	154
6x1	32x0.2	0.6	1	1.5 - 0.9	19x4.3	170
9x1	32x0.2	0.6	1	1.5 - 0.9	27.5x4.3	245
12x1	32x0.2	0.6	1	1.5 - 0.9	35x4.3	320
14x1	32x0.2	0.6	1	1.5 - 0.9	46x4.3	420



16x1	32x0.2	0.6	1	1.5 - 0.9	51x4.3	466
20x1	32x0.2	0.6	1	1.5 - 0.9	57x4.3	520
24x1	32x0.2	0.6	1	1.5 - 0.9	68x4.3	600
3x1.5	30x0.25	0.7	-	1.5 - 1	12x5	120
4x1.5	30x0.25	0.7	-	1.5 - 1	15x5	150
5x1.5	30x0.25	0.7	1	1.5 - 1	20x5	198
6x1.5	30x0.25	0.7	1	1.5 - 1	22x5	220
9x1.5	30x0.25	0.7	1	1.5 - 1	32x5	314
12x1.5	30x0.25	0.7	1	1.5 - 1	44x5	440
14x1.5	30x0.25	0.7	1	1.5 - 1	54x5	560
16x1.5	30x0.25	0.7	1	1.5 - 1	60x5	630
20x1.5	30x0.25	0.7	1	1.5 - 1	67x5	696
24x1.5	30x0.25	0.7	1	1.5 - 1	80x5	834
3x2.5	50x0.25	0.8	-	1.8 - 1	14.4x5.6	170
4x2.5	50x0.25	0.8	-	1.8 - 1	18x5.6	220
5x2.5	50x0.25	0.8	1.5	1.8 - 1	24.5x5.6	290
6x2.5	50x0.25	0.8	1.5	1.8 - 1	26.7x5.6	328
9x2.5	50x0.25	0.8	1.5	1.8 - 1	39.5x5.6	458
12x2.5	50x0.25	0.8	1.5	1.8 - 1	50x5.6	622
16x2.5	50x0.25	0.8	1.5	1.8 - 1	66x5.6	830
18x2.5	50x0.25	0.8	1.5	1.8 - 1	74x5.6	930
20x2.5	50x0.25	0.8	1.5	1.8 - 1	81.5x5.6	1022
24x2.5	50x0.25	0.8	1.5	1.8 - 1	98.8x5.6	1270
3x4	56x0.3	0.8	-	1.8 - 1.2	16.2x6.6	244
4x4	56x0.3	0.8	-	1.8 - 1.2	20x6.6	308
5x4	56x0.3	0.8	1.5	1.8 - 1.2	27.6x6.6	410
3x6	84x0.3	0.8	-	1.8 - 1.2	18x7.2	320
4x6	84x0.3	0.8	-	1.8 - 1.2	23x7.2	410



5x6	84x0.3	0.8	1.5	1.8 - 1.2	30.6x7.2	535
3x10	80x0.4	1	-	1.8 - 1.4	22.2x9	512
4x10	80x0.4	1	-	1.8 - 1.4	28.5x9	655
5x10	80x0.4	1	1.5	1.8 - 1.4	37.6x9	850
3x16	127x0.4	1	-	2.0 - 1.5	25.2x10.3	710
4x16	127x0.4	1	-	2.0 - 1.5	33.2x10.3	940
3x25	127x0.4	1.2	-	2.0 - 1.6	33x12.6	1110
3x35	278x0.4	1.2	-	2.0 - 1.6	37x13.8	1492
3x50	398x0.4	1.4	-	2.2 - 1.8	43.5x17.2	2000
3x70	357x0.5	1.4	-	2.2 - 1.8	49.6x19.2	2794
3x95	484x0.5	1.6	-	2.4 - 2	57.3x22	3670