

## کابل‌های قدرت و کنترل چند رشته‌ای با عایق و روکش PVC NYY-O, NYY-J 0.6 / 1 KV

| سایز            | قطر * تعداد رشته | ضخامت عایق | ضخامت روکش | قطر کلی تقریبی | وزن تقریبی |
|-----------------|------------------|------------|------------|----------------|------------|
| mm <sup>2</sup> | N x dmm          | mm         | mm         | mm             | Kg/km      |
| 2x1.5 re        | 1x1.38           | 0.8        | 1.8        | 11.4           | 190        |
| 2x1.5 rm        | 7x0.52           | 0.8        | 1.8        | 12             | 196        |
| 2x2.5 re        | 1x1.78           | 0.8        | 1.8        | 12.4           | 230        |
| 2x2.5 rm        | 7x0.67           | 0.8        | 1.8        | 12.8           | 240        |
| 2x4 re          | 1x2.26           | 1          | 1.8        | 13.8           | 284        |
| 2x4 rm          | 7x0.85           | 1          | 1.8        | 14.6           | 300        |
| 2x6 re          | 1x2.78           | 1          | 1.8        | 14.8           | 380        |
| 2x6 rm          | 7x1.04           | 1          | 1.8        | 15.6           | 396        |
| 2x10 re         | 1x3.57           | 1          | 1.8        | 16.4           | 500        |
| 2x10 rm         | 7x1.35           | 1          | 1.8        | 17.5           | 520        |
| 2x16 rm         | 7x1.7            | 1          | 1.8        | 19.8           | 710        |
| 2x25 rm         | 7x2.14           | 1.2        | 1.8        | 23.2           | 1020       |
| 2x35 rm         | 7x2.52           | 1.2        | 1.8        | 25.2           | 1300       |
| 2x50 rm         | 19x1.78          | 1.4        | 1.8        | 29             | 1720       |
| 2x70 rm         | 19x2.17          | 1.4        | 1.9        | 33.6           | 2380       |
| 3x1.5 re        | 1x1.38           | 0.8        | 1.8        | 12             | 215        |
| 3x1.5 rm        | 7x0.52           | 0.8        | 1.8        | 12.4           | 220        |
| 3x2.5 re        | 1x1.78           | 0.8        | 1.8        | 13             | 265        |
| 3x2.5 rm        | 7x0.67           | 0.8        | 1.8        | 13.4           | 275        |
| 3x4 re          | 1x2.26           | 1          | 1.8        | 14.5           | 350        |
| 3x4 rm          | 7x0.85           | 1          | 1.8        | 15.4           | 370        |
| 3x6 re          | 1x2.78           | 1          | 1.8        | 15.6           | 440        |
| 3x6 rm          | 7x1.04           | 1          | 1.8        | 16.6           | 460        |



|              |                    |           |     |      |       |
|--------------|--------------------|-----------|-----|------|-------|
| 3x10 re      | 1x3.57             | 1         | 1.8 | 17.4 | 610   |
| 3x10 rm      | 7x1.35             | 1         | 1.8 | 18.6 | 630   |
| 3x16 rm      | 7x1.7              | 1         | 1.8 | 21   | 870   |
| 3x25 rm      | 7x2.14             | 1.2       | 1.8 | 24.6 | 1260  |
| 3x35 rm      | 7x2.52             | 1.2       | 1.8 | 27   | 1620  |
| 3x50 sm      | 19x1.83            | 1.4       | 1.8 | 26.8 | 1690  |
| 3x70 sm      | 19x2.22            | 1.4       | 1.9 | 30.2 | 2380  |
| 3x95 sm      | 19x2.57            | 1.6       | 2   | 33.8 | 3290  |
| 3x120 sm     | 37x2.08            | 1.6       | 2.1 | 36.5 | 3920  |
| 3x150 sm     | 37x2.3             | 1.8       | 2.2 | 40.5 | 4800  |
| 3x185 sm     | 37x2.57            | 2         | 2.4 | 46   | 6000  |
| 3x240 sm     | 37x2.93            | 2.2       | 2.6 | 52   | 7870  |
| 3x300 sm     | 61x2.65            | 2.4       | 2.7 | 59   | 9700  |
| 3x400 sm     | 61x2.90            | 2.6       | 3   | 65   | 12410 |
|              |                    |           |     |      |       |
| 3x25+16 rm   | 7x2.14<br>7x1.7    | 1.2 - 1   | 1.8 | 26.2 | 1470  |
| 3x35+16 rm   | 7x2.52<br>7x1.7    | 1.2 - 1   | 1.8 | 28   | 1800  |
| 3x50+25 sm   | 19x1.83<br>7x2.14  | 1.4 - 1.2 | 1.8 | 27.3 | 1970  |
| 3x70+35 sm   | 19x2.22<br>7x2.52  | 1.4 - 1.2 | 1.9 | 31   | 2750  |
| 3x95+50 sm   | 19x2.57<br>19x1.83 | 1.6 - 1.4 | 2.1 | 34.7 | 3640  |
| 3x120+70 sm  | 37x2.08<br>19x2.22 | 1.6 - 1.4 | 2.2 | 38.2 | 4670  |
| 3x150+70 sm  | 37x2.30<br>19x2.22 | 1.8 - 1.4 | 2.3 | 44   | 5540  |
| 3x185+95 sm  | 37x2.57<br>37x2.57 | 2.0 - 1.6 | 2.4 | 47.4 | 6980  |
| 3x240+120 sm | 37x2.93<br>37x2.08 | 2.2 - 1.6 | 2.5 | 53.6 | 9040  |
| 3x300+150 sm | 61x2.65<br>37x2.30 | 2.4 - 1.8 | 2.7 | 60   | 11280 |
| 3x400+185 sm | 61x2.90<br>37x2.57 | 2.6 - 2.0 | 3   | 67   | 14260 |



|          |         |     |     |      |       |
|----------|---------|-----|-----|------|-------|
| 3x1.5 re | 1x1.38  | 0.8 | 1.8 | 13   | 250   |
| 3x1.5 rm | 7x0.52  | 0.8 | 1.8 | 13.4 | 260   |
| 3x2.5 re | 1x1.78  | 0.8 | 1.8 | 14   | 310   |
| 3x2.5 rm | 7x0.67  | 0.8 | 1.8 | 14.5 | 325   |
| 3x4 re   | 1x2.26  | 1   | 1.8 | 15.6 | 430   |
| 3x4 rm   | 7x0.85  | 1   | 1.8 | 16.6 | 448   |
| 3x6 re   | 1x2.78  | 1   | 1.8 | 16.8 | 540   |
| 3x6 rm   | 7x1.04  | 1   | 1.8 | 18   | 560   |
| 3x10 re  | 1x3.57  | 1   | 1.8 | 18.8 | 740   |
| 3x10 rm  | 7x1.35  | 1   | 1.8 | 20.3 | 760   |
| 3x16 rm  | 7x1.7   | 1   | 1.8 | 22.8 | 1060  |
| 3x25 rm  | 7x2.14  | 1.2 | 1.8 | 25.5 | 1580  |
| 3x35 rm  | 7x2.52  | 1.2 | 1.8 | 27.8 | 2060  |
| 3x50 sm  | 19x1.83 | 1.4 | 1.9 | 30.6 | 2200  |
| 3x70 sm  | 19x2.22 | 1.4 | 2   | 34.2 | 3120  |
| 3x95 sm  | 19x2.57 | 1.6 | 2.1 | 38.4 | 4180  |
| 3x120 sm | 37x2.08 | 1.6 | 2.2 | 41.5 | 5150  |
| 3x150 sm | 37x2.3  | 1.8 | 2.4 | 45.5 | 6350  |
| 3x185 sm | 37x2.57 | 2   | 2.6 | 50.5 | 7900  |
| 3x240 sm | 37x2.93 | 2.2 | 2.8 | 59   | 10300 |
| 3x300 sm | 37x34/3 | 2.4 | 3   | 65   | 12870 |
| 3x400 sm | 61x2.90 | 2.6 | 3.2 | 75   | 16320 |
| 5x1.5 re | 1x1.38  | 0.8 | 1.8 | 13.7 | 280   |
| 5x1.5 rm | 7x0.52  | 0.8 | 1.8 | 14.1 | 296   |
| 5x2.5 re | 1x1.78  | 0.8 | 1.8 | 14.8 | 364   |
| 5x2.5 rm | 7x0.67  | 0.8 | 1.8 | 15.3 | 378   |
| 5x4 re   | 1x2.26  | 1   | 1.8 | 17.2 | 492   |
| 5x4 rm   | 7x0.85  | 1   | 1.8 | 17.9 | 512   |
| 5x6 re   | 1x2.78  | 1   | 1.8 | 18.6 | 628   |



|           |         |     |     |      |      |
|-----------|---------|-----|-----|------|------|
| 5x6 rm    | 7x1.04  | 1   | 1.8 | 19.4 | 644  |
| 5x10 re   | 1x3.57  | 1   | 1.8 | 20.7 | 892  |
| 5x10 rm   | 7x1.35  | 1   | 1.8 | 22   | 922  |
| 5x16 rm   | 7x1.7   | 1   | 1.8 | 24.8 | 1296 |
| 5x25 rm   | 7x2.14  | 1.2 | 1.9 | 29.5 | 1930 |
| 5x35 rm   | 7x2.52  | 1.2 | 2   | 33   | 2550 |
| 5x50 rm   | 19x1.83 | 1.4 | 2.2 | 38.4 | 3400 |
| 5x70 rm   | 19x2.22 | 1.4 | 2.3 | 44   | 4760 |
|           |         |     |     |      |      |
| 5x1.5 re  | 1x1.38  | 0.8 | 1.8 | 13.6 | 290  |
| 5x1.5 rm  | 7x0.52  | 0.8 | 1.8 | 14.1 | 295  |
| 6x1.6 re  | 1x1.38  | 0.8 | 1.8 | 14.5 | 335  |
| 6x1.5 rm  | 7x0.52  | 0.8 | 1.8 | 15.1 | 345  |
| 7x1.5 re  | 1x1.38  | 0.8 | 1.8 | 17.8 | 340  |
| 7x1.5 rm  | 7x0.52  | 0.8 | 1.8 | 18.2 | 350  |
| 10x1.5 re | 1x1.38  | 0.8 | 1.8 | 18.3 | 460  |
| 10x1.5 rm | 7x0.52  | 0.8 | 1.8 | 18.7 | 473  |
| 12x1.5 re | 1x1.38  | 0.8 | 1.8 | 19.6 | 515  |
| 12x1.5 rm | 7x0.52  | 0.8 | 1.8 | 20.5 | 530  |
| 16x1.5 re | 1x1.38  | 0.8 | 1.8 | 22.6 | 635  |
| 16x1.5 rm | 7x0.52  | 0.8 | 1.8 | 21.5 | 650  |
| 19x1.5 re | 1x1.38  | 0.8 | 1.8 | 22.4 | 715  |
| 19x1.5 rm | 7x0.52  | 0.8 | 1.8 | 23   | 730  |
| 20x1.5 re | 1x1.38  | 0.8 | 1.8 | 24   | 810  |
| 20x1.5 rm | 7x0.52  | 0.8 | 1.8 | 24.8 | 820  |
| 24x1.5 re | 1x1.38  | 0.8 | 1.8 | 24.2 | 880  |
| 24x1.5 rm | 7x0.52  | 0.8 | 1.8 | 25.4 | 900  |
| 27x1.5 re | 1x1.38  | 0.8 | 1.8 | 24.8 | 960  |
| 27x1.5 rm | 7x0.52  | 0.8 | 1.8 | 26.2 | 980  |
| 30x1.5 re | 1x1.38  | 0.8 | 1.8 | 26.6 | 1030 |
| 30x1.5 rm | 7x0.52  | 0.8 | 1.8 | 28   | 1050 |



|           |        |     |     |      |      |
|-----------|--------|-----|-----|------|------|
| 34x1.5 re | 1x1.38 | 0.8 | 1.8 | 26.8 | 1230 |
| 34x1.5 rm | 7x0.52 | 0.8 | 1.9 | 28   | 1250 |
| 37x1.5 re | 1x1.38 | 0.8 | 1.9 | 26.8 | 1270 |
| 37x1.5 rm | 7x0.52 | 0.8 | 2   | 28.2 | 1290 |
| 48x1.5 re | 1x1.38 | 0.8 | 2   | 31.5 | 1660 |
| 48x1.5 rm | 7x0.52 | 0.8 | 2   | 32   | 1680 |
| 52x1.5 re | 1x1.38 | 0.8 | 2   | 33   | 1720 |
| 52x1.5 rm | 7x0.52 | 0.8 | 2.1 | 33.5 | 1740 |
| 61x1.5 re | 1x1.38 | 0.8 | 2.1 | 34.7 | 1930 |
| 61x1.5 rm | 7x0.52 | 0.8 | 2.1 | 35.4 | 1960 |
|           |        |     |     |      |      |
| 5x2.5 re  | 1x1.78 | 0.8 | 1.8 | 14.8 | 370  |
| 5x2.5 rm  | 7x0.67 | 0.8 | 1.8 | 15.2 | 375  |
| 6x2.5 re  | 1x1.78 | 0.8 | 1.8 | 16   | 420  |
| 6x2.5 rm  | 7x0.67 | 0.8 | 1.8 | 16.4 | 430  |
| 7x2.5 re  | 1x1.78 | 0.8 | 1.8 | 16   | 440  |
| 7x2.5 rm  | 7x0.67 | 0.8 | 1.8 | 16.4 | 450  |
| 10x2.5 re | 1x1.78 | 0.8 | 1.8 | 19.6 | 610  |
| 10x2.5 rm | 7x0.67 | 0.8 | 1.8 | 20   | 620  |
| 12x2.5 re | 1x1.78 | 0.8 | 1.8 | 20.2 | 675  |
| 12x2.5 rm | 7x0.67 | 0.8 | 1.8 | 20.6 | 690  |
| 16x2.5 re | 1x1.78 | 0.8 | 1.8 | 22   | 845  |
| 16x2.5 rm | 7x0.67 | 0.8 | 1.8 | 22.6 | 860  |
| 19x2.5 re | 1x1.78 | 0.8 | 1.8 | 23.1 | 965  |
| 19x2.5 rm | 7x0.67 | 0.8 | 1.8 | 23.7 | 980  |
| 20x2.5 re | 1x1.78 | 0.8 | 1.8 | 25   | 1050 |
| 20x2.5 rm | 7x0.67 | 0.8 | 1.8 | 25.6 | 1070 |
| 24x2.5 re | 1x1.78 | 0.8 | 1.8 | 27.6 | 1240 |
| 24x2.5 rm | 7x0.67 | 0.8 | 1.8 | 28.2 | 1260 |
| 27x2.5 re | 1x1.78 | 0.8 | 1.8 | 27.6 | 1310 |
| 27x2.5 rm | 7x0.67 | 0.8 | 1.8 | 28.2 | 1330 |



|           |        |     |     |      |      |
|-----------|--------|-----|-----|------|------|
| 30x2.5 re | 1x1.78 | 0.8 | 1.9 | 28.4 | 1420 |
| 30x2.5 rm | 7x0.67 | 0.8 | 1.9 | 29.2 | 1440 |
| 34x2.5 re | 1x1.78 | 0.8 | 2   | 30.6 | 1710 |
| 34x2.5 rm | 7x0.67 | 0.8 | 2   | 31.4 | 1730 |
| 37x2.5 re | 1x1.78 | 0.8 | 2   | 30.6 | 1760 |
| 37x2.5 rm | 7x0.67 | 0.8 | 2.1 | 31.6 | 1780 |
| 48x2.5 re | 1x1.78 | 0.8 | 2.1 | 35.2 | 2250 |
| 48x2.5 rm | 7x0.67 | 0.8 | 2.1 | 36.4 | 2280 |
| 52x2.5 re | 1x1.78 | 0.8 | 2.1 | 36   | 2380 |
| 52x2.5 rm | 7x0.67 | 0.8 | 2.2 | 37.5 | 2410 |
| 61x2.5 re | 1x1.78 | 0.8 | 2.2 | 37.2 | 2730 |
| 61x2.5 rm | 7x0.67 | 0.8 | 2.2 | 39.4 | 2760 |