

کابل‌های قدرت و کنترل تک و چند رشته‌ای مسلح با زره فولادی
یا آلومینیومی با عایق و روکش PVC
NYRY 0.6 / 1 KV

سایز	قطر * تعداد رشته	ضخامت عایق	قطر مفتول گالوانیزه یا آلومینیومی	ضخامت روکش	قطر کلی تقریبی	وزن تقریبی
mm ²	N x dmm	mm	mm	mm	mm	Kg/km
1x4 re	1x2.26	1	0.9	1.8	12.2	270
1x4 rm	7x0.85	1	0.9	1.8	12.4	280
1x6 re	1x2.78	1	0.9	1.8	12.6	306
1x6 rm	7x1.04	1	0.9	1.8	13	316
1x10 re	1x3.57	1	0.9	1.8	13.4	376
1x10 rm	7x1.35	1	0.9	1.8	14	386
1x16 rm	7x1.7	1	0.9	1.8	14.6	380
1x25 rm	7x2.14	1.2	1.25	1.8	16.8	540
1x35 rm	7x2.52	1.2	1.25	1.8	18.1	660
1x50 rm	19x1.78	1.4	1.25	1.8	19.7	820
1x70 rm	19x2.17	1.4	1.25	1.8	21.7	1080
1x95 rm	19x2.52	1.6	1.6	1.8	24.2	1420
1x120 rm	37x2.03	1.6	1.6	1.8	25.6	1690
1x150 rm	37x2.25	1.8	1.6	1.8	27.6	2030
1x185 rm	37x2.52	2	1.6	1.9	30.4	2470
1x240 rm	37x2.88	2.2	2	2.1	34.5	3210
1x300 rm	61x2.50	2.4	2	2.2	37.7	3930
2x1.5 re	1x1.38	0.8	0.9	1.8	13.8	380
2x1.5 rm	7x0.52	0.8	0.9	1.8	14.2	390
2x2.5 re	1x1.78	0.8	0.9	1.8	14.8	460
2x2.5 rm	7x0.67	0.8	0.9	1.8	15.2	470
2x4 re	1x2.26	1	1.25	1.8	17.4	630



2x4 rm	7x0.85	1	1.25	1.8	17.8	640
2x6 re	1x2.78	1	1.25	1.8	18.4	735
2x6 rm	7x1.04	1	1.25	1.8	18.8	750
2x10 re	1x3.57	1	1.25	1.8	20.2	910
2x10 rm	7x1.35	1	1.25	1.8	20.6	930
2x16 rm	7x1.7	1	1.6	1.8	23.5	1310
2x25 rm	7x2.14	1.2	1.6	1.8	27	1740
2x35 rm	7x2.52	1.2	1.6	1.9	29.5	2100
2x50 rm	19x1.78	1.4	1.6	2.1	33	2640
2x70 rm	19x2.17	1.4	2	2.3	38.2	3710
3x1.5 re	1x1.38	0.8	0.9	0.8	14.4	410
3x1.5 rm	7x0.52	0.8	0.9	1.8	14.8	420
3x2.5 re	1x1.78	0.8	0.9	1.8	15	465
3x2.5 rm	7x0.67	0.8	0.9	1.8	15.3	480
3x4 re	1x2.26	1	1.25	1.8	18	698
3x4 rm	7x0.85	1	1.25	1.8	18.4	710
3x6 re	1x2.78	1	1.25	1.8	19.1	820
3x6 rm	7x1.04	1	1.25	1.8	19.5	840
3x10 re	1x3.57	1	1.25	1.8	20.4	1120
3x10 rm	7x1.35	1	1.25	1.8	22	1190
3x16 rm	7x1.7	1	1.6	1.8	24	1500
3x25 rm	7x2.14	1.2	1.6	1.9	28.6	2040
3x35 rm	7x2.52	1.2	1.6	2	30.8	2460
3x50 sm	19x1.83	1.4	1.6	2	34	2750
3x70 sm	19x2.22	1.4	2	2.2	37.5	3820
3x95 sm	19x2.57	1.6	2	2.3	40	4960
3x120 sm	37x2.08	1.6	2.5	2.5	45	6120
3x150 sm	37x2.3	1.8	2.5	2.6	49.5	7210
3x185 sm	37x2.57	2	2.5	2.7	54.5	8730
3x240 sm	37x2.93	2.2	2.5	2.9	61	10910



3x300 sm	61x2.65	2.4	2.5	3.2	67.5	13120
3x400 sm	61x2.90	2.6	3.15	3.4	76.5	17100
3x25/16 rm	7x- 2.14 7x1.7	1.2 - 1	1.6	1.9	29.6	2280
3x35/16 rm	7x- 2.52 7x1.7	1.2 - 1	1.6	2	32	2680
3x50/25 sm	19x- 1.83 7x2.14	1.4 - 1.2	2	2	35.2	3075
3x70/35 sm	19x- 2.22 7x2.52	1.4 - 1.2	2	2.1	38.5	4190
3x95/50 sm	19x- 2.57 19x1.83	1.6 - 1.4	2	2.3	43	5360
3x120/70 sm	37x- 2.08 19x2.22	1.6 - 1.4	2	2.4	47	6480
3x150/70 sm	37x- 2.30 19x2.22	1.8 - 1.4	2.5	2.7	52	8040
3x185/95 sm	37x- 2.57 37x2.57	2.0 - 1.6	2.5	3	57.8	9740
3x240/120 sm	37x- 2.93 37x2.08	2.2 - 1.6	2.5	3.2	64	12200
3x300/150 sm	61x2.65 37x2.13	2.4 - 1.8	2.5	3.5	70	14800
3x400/185 sm	61x- 2.90 37x2.57	2.6 - 2.0	3.15	3.7	79.4	19110
4x1.5 re	1x1.38	0.8	0.9	1.8	15	410
4x1.5 rm	7x0.52	0.8	0.9	1.8	15.5	430
4x2.5 re	1x1.78	0.8	0.9	1.8	15.8	480
4x2.5 rm	7x0.67	0.8	0.9	1.8	16.4	510
4x4 re	1x2.26	1	1.25	1.8	18.6	720
4x4 rm	7x0.85	1	1.25	1.8	19.5	790
4x6 re	1x2.78	1	1.25	1.8	19.8	870
4x6 rm	7x1.04	1	1.25	1.8	20.7	920
4x10 re	1x3.57	1	1.25	1.8	21.8	1050



4x10 rm	7x1.35	1	1.25	1.8	23.2	1200
4x16 rm	7x1.7	1	1.6	1.8	26.4	1770
4x25 rm	7x2.14	1.2	1.6	1.8	29.8	2380
4x35 rm	7x2.52	1.2	1.6	1.9	32.7	3250
4x50 sm	19x1.83	1.4	2	2.1	37	3315
4x70 sm	19x2.22	1.4	2	2.2	40.2	4590
4x95 sm	19x2.57	1.6	2.5	2.4	45.5	5860
4x120 sm	37x2.08	1.6	2.5	2.6	49.2	7050
4x150 sm	37x2.3	1.8	2.5	2.8	53.5	8950
4x185 sm	37x2.57	2	2.5	3	59.6	10760
4x240 sm	37x2.93	2.2	2.5	3.2	66.6	13580
4x300 sm	61x2.65	2.4	3.15	3.4	73.4	16450
4x400 sm	61x2.92	2.6	3.15	3.6	85.2	21350
5x1.5 re	1x1.38	0.8	1.25	1.8	16.4	550
6x1.5 re	1x1.38	0.8	1.25	1.8	17.6	670
8x1.5 re	1x1.38	0.8	1.25	1.8	20	810
10x1.5 re	1x1.38	0.8	1.25	1.8	20.2	850
12x1.5 re	1x1.38	0.8	1.6	1.8	21.6	1060
14x1.5 re	1x1.38	0.8	1.6	1.8	22.4	1130
16x1.5 re	1x1.38	0.8	1.6	1.8	23.4	1230
19x1.5 re	1x1.38	0.8	1.6	1.8	24.2	1340
24x1.5 re	1x1.38	0.8	1.6	1.9	27.4	1640
30x1.5 re	1x1.38	0.8	1.6	2	28.6	1810
37x1.5 re	1x1.38	0.8	1.6	2	30.5	2080
40x1.5 re	1x1.38	0.8	2	2.1	33.2	2500
52x1.5 re	1x1.38	0.8	2	2.2	36.2	2920
61x1.5 re	1x1.38	0.8	2	2.3	38	3170
5x1.5 rm	7x0.52	0.8	1.25	1.8	16.6	570
6x1.5 rm	7x0.52	0.8	1.25	1.8	18	690



8x1.5 rm	7x0.52	0.8	1.25	1.8	20.6	840
10x1.5 rm	7x0.52	0.8	1.25	1.8	21	880
12x1.5 rm	7x0.52	0.8	1.6	1.8	22.5	1100
14x1.5 rm	7x0.52	0.8	1.6	1.8	23.2	1170
16x1.5 rm	7x0.52	0.8	1.6	1.8	24.2	1270
19x1.5 rm	7x0.52	0.8	1.6	1.8	25	1380
24x1.5 rm	7x0.52	0.8	1.6	1.9	28.4	1680
30x1.5 rm	7x0.52	0.8	1.6	2	29.8	1850
37x1.5 rm	7x0.52	0.8	1.6	2	31.8	2130
40x1.5 rm	7x0.52	0.8	2	2.1	34.4	2560
52x1.5 rm	7x0.52	0.8	2	2.2	37.4	2980
61x1.5 rm	7x0.52	0.8	2	2.3	39.5	3240
5x2.5 re	1x1.78	0.8	1.25	1.8	17.6	700
6x2.6 re	1x1.78	0.8	1.25	1.8	18.5	810
8x2.5 re	1x1.78	0.8	1.25	1.8	22	1130
10x2.5 re	1x1.78	0.8	1.6	1.8	22.4	1180
12x2.5 re	1x1.78	0.8	1.6	1.8	23	1270
14x2.5 re	1x1.78	0.8	1.6	1.8	24	1400
16x2.5 re	1x1.78	0.8	1.6	1.8	25	1360
19x2.5 re	1x1.78	0.8	1.6	1.8	25.2	1560
24x2.5 re	1x1.78	0.8	1.6	2	28.8	1910
30x2.5 re	1x1.78	0.8	1.6	2.1	31.2	2270
37x2.5 re	1x1.78	0.8	2	2.1	34.6	2910
40x2.5 re	1x1.78	0.8	2	2.2	36.6	3100
52x2.5 re	1x1.78	0.8	2	2.3	40.2	3760
61x2.5 re	1x1.78	0.8	2	2.4	42	4170
5x2.5 rm	7x0.67	0.8	1.25	1.8	18.4	720
6x2.5 rm	7x0.67	0.8	1.25	1.8	19.5	830
8x2.5 rm	7x0.67	0.8	1.25	1.8	23	1150



10x2.5 rm	7x0.67	0.8	1.6	1.8	23.4	1200
12x2.5 rm	7x0.67	0.8	1.6	1.8	24	1290
14x2.5 rm	7x0.67	0.8	1.6	1.8	25.2	1430
16x2.5 rm	7x0.67	0.8	1.6	1.8	26.2	1390
19x2.5 rm	7x0.67	0.8	1.6	1.8	26.4	1600
24x2.5 rm	7x0.67	0.8	1.6	2	30	1950
30x2.5 rm	7x0.67	0.8	1.6	2.1	32.7	2310
37x2.5 rm	7x0.67	0.8	2	2.1	35.8	2970
40x2.5 rm	7x0.67	0.8	2	2.2	38	3190
52x2.5 rm	7x0.67	0.8	2	2.3	41.6	3860
61x2.5 rm	7x0.67	0.8	2	2.4	43.8	4270